

PLANT PROTECTION PRODUCTS



www.lainco.es



SOIL FUMIGANTS | FUNGICIDES | HERBICIDES | INSECTICIDES | OTHER PRODUCTS | FOLIAR FERTILISERS | MICRONUTRIENTS | BIOSTIMULANTS



TRADITION AND INNOVATION

LAINCO, S.A., established in 1934, is a Spanish chemical company dedicated to the research, development, manufacture and marketing of agrochemical and pharmaceutical products.

From its beginnings, LAINCO, S.A. was recognized for its work in synthesis, formulation and research, as well as for its communication and training efforts, a pioneer in the introduction of new agrochemical products in Spain.

To satisfy the needs of farmers, LAINCO presents a full range of plant protection products in continuous development and improvement. All our products comply

with the demands of European standards to ensure their effectiveness and safety.

Our extensive experience in the agricultural sector is reinforced by important investments in technology and research, in order to continue offering our clients maximum innovation and quality guarantees for our products.

LAINCO, S.A. is in the middle of an important development and international expansion. In this context, focuses much of its effort in adapting to the local needs and specific regulations of each country, establishing solid bases for long-term development and sustained growth.

INDEX

SOIL FUMIGANTS	03
FUNGICIDES	04
HERBICIDES.....	07
INSECTICIDES.....	08
OTHER PRODUCTS.....	10
FOLIAR FERTILISERS	11
MICRONUTRIENTS.....	12
BIOSTIMULANTS.....	14

SOIL FUMIGANTS



RAISAN-51

Soil fumigant with action on nematodes, insects, fungi and weeds

Active ingredient

Metam Sodium: 51% w/v (510 g/l)

Formulation

Soluble Liquid (SL)



Control

- Soil fungi (*Fusarium*, *Verticilium*, *Rhizoctonia*, *Armillaria*, *Pythium*, etc.)
- Nematodes (*Meloydogine*, *Pratylenchus*, etc.)
- Soil insects and Weeds

Crops authorized in EU

Grapes / Ornamental Herbaceous / Potatoes / Soil Seed and Nursery / Strawberry Plants / Tobacco and Vegetables.

Application rates

300 - 1.200 litres/ha

Waiting time

21 - 28 days before planting

Packing and Gross weight



25 L
31,4 kg



210 L
262 kg



1.000 L
1.265 kg

RAISAN K-51

Soil fumigant with action on nematodes, insects, fungi and weeds. Specially developed for saline soils

Active ingredient

Metam Potassium: 51% w/v (510 g/l)

Formulation

Soluble Liquid (SL)



Control

- Soil fungi (*Fusarium*, *Verticilium*, *Rhizoctonia*, *Armillaria*, *Pythium*, etc.)
- Nematodes (*Meloydogine*, *Pratylenchus*, etc.)
- Soil insects and Weeds

Crops authorized in EU

Grapes / Ornamental Herbaceous / Potatoes / Soil Seed and Nursery / Strawberry Plants / Tobacco / Vegetables

Application rates

300 - 1.200 litres/ha

Waiting time

21 - 28 days before planting

Packing and Gross weight



25 L
31,4 kg



210 L
262 kg



1.000 L
1.265 kg

LAISOL

Soil fumigant with action on nematodes, insects, and fungi. Specially formulated for reducing application rates

Active ingredient

Metam Sodium: 40% w/v (400 g/l) + Stabiliser 11% w/v (110 g/l)

Formulation

Soluble Liquid (SL)



Control

- Soil fungi (*Fusarium*, *Verticilium*, *Rhizoctonia*, *Armillaria*, *Pythium*, etc.)
- Nematodes (*Meloydogine*, *Pratylenchus*, etc.)
- Soil insects and Weeds

Crops authorized in EU

Grapes / Ornamental Herbaceous / Potatoes Soil Seed And Nursery / Strawberry Plants / Tobacco / Vegetables

Application rates

380 - 800 litres/ha

Waiting time

21 - 28 days before planting

Packing and Gross weight



25 L
31,4 kg



210 L
262 kg



1.000 L
1.265 kg

OLREDY

Contact and systemic nematicide, and insecticide

Active ingredient

Oxamyl: 10% w/v (100 g/l)

Formulation

Soluble Liquid (SL)



Control

- Nematodes (*Meloidogyne spp.* and *Ditylenchus spp.*)

Crops authorized in EU

Cucumbers / Eggplants / Gherkins / Peppers / Tomatoes / Zucchini

Application rate

10 - 30 l/ha

Pre-harvest interval

21 days

Packing and Units per box



5 L
4x5 L

FUNGICIDES



COBRE LAINCO

Contact fungicide with protective action

Active ingredient

Copper oxychloride (as Cu):
50% w/w

Formulation

Wettable Powder (WP)

Diseases controlled

- Alternaria
- Anthracnose
- Cercospora
- Downy mildew
- Leaf spot
- Monilia
- Rusts
- Scab
- Septoria, etc.

Crops authorized in EU

- Citrus
- Grapes
- Hops
- Olive-Trees
- Pome Fruit-Trees
- Potatoes
- Stone Fruit-Trees
- Vegetables

Dosage

300 - 400 g/hl (0.3 - 0.4%)

Pre-harvest interval

3 - 15 days (depending on crop)

Organic Farming

Sohiscert Certificate



CUPRA

Contact fungicide with protective action

Active ingredient

Copper oxychloride (as Cu):
52% w/w

Formulation

Suspension Concentrate (SC)

Diseases controlled

- Alternaria
- Anthracnose
- Cercospora
- Downy mildew
- Leaf spot
- Monilia
- Rusts
- Scab
- Septoria, etc.

Crops authorized in EU

- Citrus
- Grapes
- Hops
- Olive-Trees
- Pome Fruit-Trees
- Potatoes
- Stone Fruit-Trees
- Vegetables

Dosage

250 - 300 ml/hl (0.25 - 0.3%)

Pre-harvest interval

3 - 15 days (depending on crop)

Organic Farming

Sohiscert certificate



FESTIVAL

Penetrating fungicide with protective and curative action

Active ingredients

Cymoxanil: 3% w/w + Bordeaux mixture: 22,5% w/w

Formulation

Wettable Powder (WP)

Diseases controlled

- Alternaria
 - Anthracnose
 - Black-Rot and Downy mildew
- ### Crops authorized in EU
- Grapes
 - Potatoes
 - Tomatoes


Dosage

400 g/hl (0.4%)


Pre-harvest interval

3 or 21 days (depending on crop)

Packing and Units per box




Packing and Units per box



Packing and Units per box



FUNGICIDES



FUNGISTOP

Contact fungicide with protective action

Active ingredient

Sulphur: 72% w/v (720 g/l)

Formulation

Suspension Concentrate (SC)

Diseases controlled

- Powdery mildew
- Red spider
- Sooty mold, etc

Crops authorized in EU

- Cereals
- Deciduous Fruit-Trees
- Grapes
- Olive-Trees
- Ornamentals Shrubs
- Vegetables

Dosage

200 - 600 ml/hl (0.2 - 0.6%)


Pre-harvest interval

Not applicable

Organic Farming

Sohiscert certificate

Packing and Units per box



LAIKENIA

Protective and curative fungicide with contact and penetrating activity

Actives ingredients

Cymoxanil: 4% w/w + Mancozeb: 40% w/w

Formulation

Wettable Powder (WP)

Diseases controlled

- Alternaria
- Black-Rot
- Downy mildew
- Leaf spot, etc.

Crops authorized in EU

- Cucurbits
- Grapes
- Lettuce
- Potatoes
- Tomatoes

Dosage

300 g/hl (0.3%)

Pre-harvest interval

3 or 21 days (depending on crop)

Packing and Units per box



LAINCOBRE M

Contact fungicide with protective action

Actives ingredients

Mancozeb: 17,5% w/w + Copper oxychloride (as Cu): 22% w/w

Formulation

Wettable Powder (WP)

Diseases controlled

- Alternaria
- Anthracnose
- Cercospora
- Downy mildew
- Leaf spot
- Monilia
- Rusts
- Scab
- Septoria, etc.

Crops authorized in EU

- Citrus
- Grapes
- Hops
- Olive-Trees
- Pome Fruit-Trees
- Potatoes
- Stone Fruit-Trees
- Vegetables


Dosage

400 - 600 g/hl (0.4 - 0.6%)

Pre-harvest interval

3 - 28 days (depending on crop)

Packing and Units per box



FUNGICIDES



REBUT WG

Fungicide with protective and curative action, especially against Botrytis

Active ingredient

Iprodione: 50% w/w

Formulation

Wettable granule (WG)

Diseases controlled

Botrytis cinerea



Crops authorized in EU

Eggplants / Grapes / Tomatoes


Dosage

1 – 2 kg/ha

Pre-harvest interval

3 days in tomatoes and eggplants.
14 in grapes

Packing and Units per box



SAVIAL

Systemic fungicide for the control of mildew and other diseases

Active ingredient

Potassium phosphonate (as phosphorous acid): 51% w/v

Formulation

Soluble Liquid (SL)



Diseases controlled

- *Phytophthora spp.*
- *Spilocaea oleagina*
- Downy mildew (*Plasmopara viticola*)

Crops authorized in EU

Citrus Trees / Grapevine (Wine Grape and Table Grape) / Olive / Ornamental and Nursery

Dosage

150 – 250 ml/hl (0.15 – 0.25%)

Pre-harvest interval

15 days

Packing and Units per box



SAVIAL POST

Preventive fungicide for citrus fruit diseases and pome fruits scalds

Active ingredient

Potassium phosphonate (as phosphorous acid): 25% w/v

Formulation

Soluble Liquid (SL)



Diseases controlled

- *Penicillium*
- *Phytophthora*
- *Geotrichum*
- Scalds

Crops authorized in EU

Citrus Fruits / Pome Fruits


Dosage

700 – 1000 ml/hl

Pre-harvest interval

Not applicable

Packing and Units per box



SIVAR

Systemic strobilurin, preventive and curative fungicide with activity against several diseases on many crops

Active ingredient

Azoxystrobin: 25% w/v

Formulation

Suspension Concentrate (SC)



Diseases controlled

- Powdery mildew
- Rust fungus
- *Helminthosporium*

Crops authorized in EU

Cucumber / Melon / Tomatoes / Wheat/ Barley

Dosage

0.8 – 1 l/ha

Pre-harvest interval

1 -3 days

Packing and Units per box



HERBICIDES



COCTEL

Post-emergence systemic herbicide

Active ingredients

Glyphosate (isopropylamine salt): 18% w/v (180 g/l) + MCPA (isopropylamine salt): 18% w/v (180 g/l)

Formulation

Soluble liquid (SL)



Weeds controlled

Annual and perennial weeds both mono and dicotyledonous in post-emergence


Crops authorized in EU

Cereals (pre-seeding) / Citrus / Pome Fruit Trees / Olive Trees / Borders

Application rate

- Annual in post-emergence early weeds: 3 - 6 l/ha
- Perennial weeds: 6 - 10 l/ha

Packing and Units per box



FENFEN

Selective herbicide with a long residual activity

Active ingredient

Oxyfluorfen: 24% w/v (240 g/l)

Formulation

Emulsifiable Concentrate (EC)



Weeds controlled

Annual monocotyledonous and dicotyledonous weeds

Crops Authorized In Eu

Artichokes / Banana Trees / Broccoli / Brussels / Cabbage / Cabbage / Citrus Fruits / Cotton / Deciduous Fruit Trees / Garlic and Onions / Grapes / Melon / Olive Trees / Pepper / Sunflower / Tobacco


Application rate

1 - 4 l/ha

Restricted cattle entry interval

21 days

Packing and Units per box



KARDA

Non-selective systemic herbicide, absorbed by the foliage, with rapid translocation throughout the plant

Active ingredient

Glyphosate (isopropylamine salt): 36% w/v (360 g/l)

Formulation

Soluble Liquid (SL)



Weeds controlled

Annual, perennial and woody weeds in post-emergence


Crops authorized in EU

Extensive and Intensive Herbaceous Crops / Woody Crops / Borders / Grasslands / Irrigation Channels, etc.

Application rates

- Annual weeds: 3 - 6 l/ha
- Perennial and woody weeds: 6 - 10 l/ha
- Borders, grasslands, irrigation channels: 5 - 10%

Packing and Units per box



TARIKA

Selective, systemic and post-emergence herbicide used to control a large number of annual and perennial wide-leaf (dicotyledonous) weeds in cereal crops

Active ingredient

Tribenuron-methyl: 75% w/w (750 g/kg)

Formulation

Water-dispersible granules (WG)



Weeds controlled

Dicotyledonous weeds in early post-emergence

Crops authorized in EU

Barley / Oat / Rye / Triticale / Wheat


Application rates

20 g per hectare (0.02 kg/ha)

Pre-harvest interval

No applicable.

Packing and Units per box



INSECTICIDES



BRAI

Insect growth regulator (IGR).
Effective against cochineals and aphids

Active ingredient

Pyriproxyfen: 10% w/v (100 g/l)

Formulation

Emulsifiable Concentrate (EC)

Pests controlled

- Scales
- Aphids
- White fly, etc.

Crops authorized in EU

- Citrus
- Pome Fruit-Trees
- Stone Fruit-Trees
- Tomatoes


Dosage

40 – 75 ml/hl (0.04 – 0.075%)

Pre-harvest interval

30 days in citrus and tomatoes

Packing and Units per box



INFISS

Insecticide that acts by contact and ingestion, with broad spectrum of activity and fast initial action

Active ingredient

Deltamethrin: 2,5% w/v (25 g/l)

Formulation

Emulsifiable Concentrate (EC)

Pests controlled

- Aphids
- Cutworms
- Lepidopteran larvae
- Moth (*Prays oleae*)

Crops authorized in EU

- Eggplant
- Tomato
- Cucumber
- Gherkin
- Melon
- Watermelon
- Zucchini
- Cauliflower
- Broccoli
- Olive
- Strawberries


Dosage

50 – 166 ml/hl

Pre-harvest interval

3 – 7 days (depending on crop)

Packing and Units per box



LAINCOIL

Paraffin mineral oil with insecticide action

Active ingredient

Paraffin oil: 79% w/v (790 g/l)

Formulation

Emulsifiable concentrate (EC)

Pests controlled

Mites (*Panonychus citri*, *Eutetranychus banksi*, *Tetranychus urticae*) and Scale insects (*Aonidiella aurantii*, *Aspidiotus nerii*, *Lepidosaphes spp.*, *Quadraspidiotus perniciosus*, *Pseudaulacaspis pentagona*)

Crops authorized in EU

- Citrus
- Pome Fruit-Trees
- Stone Fruit-Trees


Dosage

3,75 – 30 l/ha

Pre-harvest interval

Not applicable

Packing and Units per box



INSECTICIDES



LAOTTA

Natural insecticide acting by contact and ingestion

Active ingredient

Abamectin: 1,8% w/v (18 g/l)

Formulation

Emulsifiable Concentrate (EC)

Pests controlled

- Mites
- *Liryomiza*
- *Phyllocnistis*, etc.

Crops authorized in EU

- Citrus
- Lettuce
- Apple Trees
- Ornamental Plants
- Pear Trees
- Strawberries
- Tomatoes


Dosage

30 – 100 ml/hl (0.03 – 0.1%)

Pre-harvest interval

3 – 28 days (depending on crop)

Packing and Units per box



LAOTTA EW

Natural insecticide acting by contact and ingestion

Active ingredient

Abamectin: 1,8% w/v (18 g/l)

Formulation

Emulsion oil in water (EW)

Pests controlled

- Mites
- *Liryomiza*
- *Phyllocnistis*, etc.

Crops authorized in EU

- Citrus
- Melon
- Pear trees
- Soybean
- Tomatoes


Dosage

50 – 100 ml/hl (0.05 – 0.1%)

Pre-harvest interval

3 – 28 days (depending on crop)

Packing and Units per box



SHOSHI

Non-systemic miticide acting by contact and ingestion

Active ingredient

Hexythiazox: 10% w/w (100 g/kg)

Formulation

Wetable powder (WP)

Pests controlled

- Tetranychid mites
- *Phyllocnistis* (Leaf miner)

Crops authorized in EU

- Citrus Fruits
- Cotton
- Cucurbits
- Strawberries
- Deciduous Fruits
- Corn
- Grapes

Dosage

50 – 75 g/hl (0.05 – 0.075%)

Pre-harvest interval

7 – 14 days (depending on crop)

Packing and Units per box





ANTIESPUMANTE LAINCO

Product to prevent the formation of foam in agrochemical mixtures

Active ingredient

Dimethyl polysiloxane: 35% w/v (350 g/l)

Formulation

Emulsifiable concentrate (EC)



Crops authorized in EU

All crops

Dosage

3 to 10 drops per 100 liters of water

Pre-harvest interval

Not applicable

**Packing and
Units per box**

100 ml



50x100 ml

MOJANTE LAINCO

Non-ionic surfactant. Improves penetration and spreading of the agrochemical sprays

Active ingredient

Ethoxylated isotridecylic alcohol: 20% w/v (200 g/l)

Formulation

Emulsifiable Concentrate (EC)



Crops authorized in EU

All crops

Dosage

100 ml/hl (0.1%)

Pre-harvest interval

Not applicable

**Packing and
Units per box**

1 L



12x1 L

5 L



4x5 L

NATROS

Complexed calcium solution for the correction of soils and salt waters

Composition

Calcium oxide* (CaO) water soluble: 10% w/w

Nitrogen (N) total: 5% w/w

*Complexed by lignosulphonates and gluconic acid

Formulation

Soluble liquid (SL)



Crops

All crops

Dosage

- Drip irrigation: 40 - 70 l/ha

- Flood irrigation: 90 - 125 l/ha

**Packing and
Gross weight**

25 L



35,2 kg

OKUPA

Improves the aggregation of particles of the soil

Composition

Polymaleic acid: 30% w/v

Formulation

Soluble liquid (SL)



Crops

All crops

Dosage

2 - 8 l/ha

**Packing and
Units per box**

5 L



4x5 L

25 L



-

FOLIAR FERTILISERS



ABONO FOLIAR-N

Nitrogen fertiliser with manganese and zinc

Composition

Nitrogen (N): 32% w/w
Manganese (Mn) 0.12% w/w
Zinc (Zn) 0.05% w/w

Formulation

Soluble Liquid (SL)




Crops

Citrus / Fruit Trees / Grapes / Industrial Crops / Olive Trees / Ornamentals / Vegetables, etc.

Application rates

200 - 400 ml/hl (0.2 - 0.4%)

Packing and Units per box



LAIBONO

Liquid fertiliser with microelements

Composition

Nitrogen (N): 9% w/w
Phosphoric Anhydride (P2O5): 3% w/w
Potassium Oxide (K2O) 6% w/w
Boron (B) 0,02% w/w
Copper* (Cu) 0,03% w/w
Manganese* (Mn) 0,04% w/w
Molybdenum (Mo) 0,002% w/w
Zinc* (Zn) 0,02% w/w

*Chelated by EDTA

Formulation

Soluble Liquid (SL)



Crops

Citrus / Fruit Trees / Grapes / Olive Trees / Ornamentals / Strawberries / Vegetables, etc.

Application rates

200 - 300 ml/hl (0.2 - 0.3%)

Packing and Units per box



LAIBONO OLIVO

Foliar fertiliser with high potassium concentration with boron and magnesium

Composition

Nitrogen (N): 11% w/w
Phosphoric Anhydride (P2O5): 12% w/w
Potassium Oxide (K2O): 30% w/w
Magnesium Oxide (MgO): 2% w/w
Boron (B): 0,3% w/w

Formulation

Soluble Powder (SP)



Crops

Citrus / Fruit Trees / Grapes / Olive Trees / Ornamentals / Vegetables, etc.

Application rates

300 - 400 g/hl (0.3 - 0.4%)

Packing and Gross weight



LAIFOL-L

Foliar fertiliser with phosphorus and potassium

Composition

Phosphoric Anhydride (P2O5): 9% w/w
Potassium Oxide (K2O): 18% w/w

Formulation

Soluble liquid (SL)




Crops

Citrus / Fruit Trees / Grapes / Olive Trees / Ornamentals / Strawberries / Vegetables, etc.

Application rates

300 ml/hl (0.3%)

Packing and Units per box



MICRONUTRIENTS



GROW

Iron chelated corrector with ortho-ortho-EDDHA

Composition

Iron (Fe) EDTA and water soluble: 6% w/w

Iron (Fe) ortho-ortho-EDDHA: 4.8% w/w

Formulation

Microgranules (MG)



Crops

Citrus / Fruit Trees / Grapes / Ornamentals / Strawberries / Vegetables, etc.


Application rates

See label

Organic Farming

Sohiscert certificate

Packing and Units per box



LAIRON

Iron chelated corrector with ortho-ortho-EDDHA

Composition

Iron (Fe) EDTA and water soluble: 6% w/w

Iron (Fe) ortho-ortho-EDDHA: 2% w/w

Formulation

Microgranules (MG)




Crops

Citrus / Fruit Trees / Grapes / Ornamentals / Strawberries / Vegetables, etc.

Application rates

See label

Packing and Units per box



QUELAI BORO

Liquid corrector for boron deficiencies.

Composition

Boron: 11% w/w

Formulation

Soluble Liquid (SL)



Crops

Fruit Trees / Grapes / Olive Trees / Ornamentals / Vegetables, etc.

Application rates

Foliar spray: 100 - 400 ml/hl (0.1 - 0.4%)

Packing and Units per box



QUELAI CALCIO-L

Liquid corrector for calcium deficiencies

Composition

Calcium Oxide* (CaO): 6.9% w/w

*Complexed by lignosulphonates.

Formulation

Soluble Liquid (SL)



Crops

Citrus / Fruit Trees / Grapes / Olive Trees / Ornamentals / Strawberries / Vegetables, etc.


Application rates

Foliar spray: 250 - 500 ml/hl (0.25 - 0.5%)

Organic Farming

Sohiscert certificate

Packing and Units per box



MICRONUTRIENTS



QUELAI MAGNESIO-L

Liquid corrector for magnesium deficiencies

Composition

Magnesium Oxide* (MgO): 5.5% w/w

*Complexed by lignosulphonates.

Formulation

Soluble Liquid (SL)



Crops

Citrus / Cotton / Fruit Trees / Grapes / Olive Trees / Ornamentals / Strawberries / Tobacco / Vegetables, etc.

Application rates

Foliar spray: 400 - 500 ml/hl (0.4 - 0.5%)

Packing and Units per box



QUELAI TOTAL

Liquid EDTA chelated corrector for multiple microelements deficiencies

Composition

Boron (B) 0.2% w/w

Copper* (Cu): 0.3% w/w

Iron* (Fe): 0.3% w/w

Manganese* (Mn): 2% w/w

Molybdenum (Mo): 0.1% w/w

Zinc* (Zn): 1% w/w

*Chelating agent: EDTA

Formulation

Soluble Liquid (SL)



Crops

Citrus / Fruit Trees / Grapes / Olive Trees / Ornamentals / Strawberries / Vegetables, etc.

Application rates

Foliar spray: 100 - 150 ml/hl (0.1 - 0.15%)

Irrigation: 10 - 15 l/ha

Organic Farming

Sohiscert certificate

Packing and Units per box



QUELAI ZINC-MANGANESO S

Corrector for zinc and manganese deficiencies

Composition

Manganese (Mn): 6.9% w/w

Zinc (Zn): 7.2% w/w

Complexed by lignosulphonates

Formulation

Wettable Powder (WP)



Crops

Citrus / Fruit Trees / Grapes / Ornamentals / Vegetables, etc.

Application rates

Foliar spray: 200 - 250 g/hl (0.2 - 0.25%)

Irrigation: 2.5 - 3 Kg/ha

Organic Farming

Sohiscert certificate

Packing and Gross weight



QUELAI ZINC-MANGANESO EXTRA

Liquid corrector for zinc and manganese deficiencies

Composition

Manganese (Mn): 3.8% w/w

Zinc (Zn): 4.0% w/w

Complexed by lignosulphonates.

Formulation

Soluble Liquid (SL)



Crops

Citrus / Fruit Trees / Grapes / Ornamentals / Vegetables, etc.

Application rates

Foliar spray: 300 - 400 ml/hl (0.3 - 0.4%)

Irrigation: 4 - 5 l/ha

Organic Farming

Sohiscert certificate

Packing and Units per box



BIOESTIMULANTS



AMIVE

Vegetal amino acids for leaf spray and fertirrigation

Composition

Free amino acids: 12% w/w

Formulation

Soluble liquid (SL)

Crops

- Citrus
- Fruit Trees
- Grapes
- Industrial Crops
- Olive Trees
- Ornamentals
- Strawberries
- Vegetables, etc.

Application rates

Foliar spray: 200 - 300 ml/hl (0.2 - 0.3%)

Irrigation: 2 - 3 l/ha

Organic Farming

Sohiscert certificate

Packing and Units per box



ASOTO

High concentrate free amino acids

Composition

Free Amino acids: 25% w/w

Formulation

Soluble Liquid (SL)

Crops

- Fruit Trees (except Plum Trees)
- Industrial Crops
- Ornamentals
- Vegetables, etc.

Application rates

Foliar spray: 150 - 200 ml/hl (0.15 - 0.2%)

Irrigation: 1.5 - 2 l/ha

Packing and Units per box



ASOTO CÍTRICOS

Amino acids with iron and calcium

Composition

Free Amino acids: 6% w/w

Calcium Oxide (CaO): 5% w/w

Iron (Fe): 1% w/w

Formulation

Soluble Liquid (SL)

Crops

- Citrus
- Fruit Trees (except Plum Trees)
- Industrial Crops
- Ornamentals
- Vegetables, etc.

Application rates

Foliar spray: 250 - 300 ml/hl (0.25 - 0.3%)

Irrigation: 2.5 - 3 l/ha

Packing and Units per box



BIOESTIMULANTS



ASOTO OLIVO

Amino acids with Iron and Bore for leaf spray and fertirrigation

Composition

Free amino acids: 6% w/w

Bore (B): 0.3% w/w

Iron (Fe): 1% w/w

Formulation

Soluble Liquid (SL)

Crops

Olive Trees

Application rates

Foliar spray: 250 - 300 ml/hl (0.25 - 0.3%)

Irrigation: 2.5 - 3 l/ha

Packing and Units per box

5 L

25 L



4x5 L

-

GREETNAL

Plant resistance improver obtained from seaweed extract (*Ascophyllum nodosum*)

Composition

Alginate acid: 3% w/v (2,6% w/w)

Mannitol: 1% p/v (0,9% p/p)

Potassium oxide (K₂O) total: 4%

w/v (3,6% w/w)

Seaweed (*Ascophyllum nodosum*):

25% w/v

Formulation

Soluble Liquid (SL)

Crops

- Citrus Fruits
- Fruit Trees
- Grapes
- Olive Trees
- Ornamentals
- Potatoes
- Strawberries
- Vegetables, etc.

Application rates

Foliar spray: 2 - 2,5 l/ha

Organic Farming

Sohiscert certificate

Packing and Units per box

1 L

5 L



12x1 L

4x5 L

GREETNAL WIZ

Plant resistance improver obtained from seaweed extract (*Ascophyllum nodosum*)

Composition

Organic matter: 45%

Nitrogen (N) total: 1.0%

Potassium oxide (K₂O) total: 17%

Amino acids: 4.4%

Alginate acid: 12%

Mannitol: 4%

Formulation

Solid soluble

Crops

- Citrus Fruits
- Fruit Trees
- Grapes
- Olive Trees
- Ornamentals
- Potatoes
- Strawberries
- Vegetables

Application rates

Foliar spray: 600 - 750 g/ha

Organic Farming

Sohiscert certificate

Packing and Units per box

1 kg



10x1 kg



www.lainco.es



Polígono Industrial Can Jardí
Av. Bizet, 8-12 | 08191 Rubí (Barcelona) | Spain
Tel. +34 93 586 20 15 | Fax +34 93 586 20 16
lainco@lainco.es

